

## Tenable Nessus Security Report

**Start Time:** Sun Feb 18 18:33:32 2007

**Finish Time:** Sun Feb 18 18:34:42 2007

**192.168.20.3**


**192.168.20.3**

2 Open Ports, 72 Notes, 0 Warnings, 0 Holes.

**192.168.20.3**

[\[Return to top\]](#)

**general/tcp**


It was possible to log into the remote host using the supplied password  
 The output of "uname -a" is :  
 Linux megalon 2.6.9-34.EL #1 Wed Mar 8 00:07:35 CST 2006 i686 athlon  
 i386 GNU/Linux

Local security checks have been enabled for this host.  
 Plugin ID : [12634](#)


**Synopsis :**

It is possible to enumerate installed software on the remote host, via SSH.

**Description :**

This plugin lists the software installed on the remote host by calling the appropriate command (rpm -qa on RPM-based Linux distributions, etc...)

**Solution:**

Remove software that is not compliant with your company policy.

**Risk Factor :**

None

**Plugin output:**

Here is the list of packages installed on the remote CentOS Linux system :

```

redhat-logos-1.1.26-1.centos4|(none)
basesystem-8.0-4|(none)
glibc-2.3.4-2.13|(none)
chkconfig-1.3.13.2-1|(none)
expat-1.95.7-4|(none)
iputils-20020927-18.EL4.1|(none)
libselinux-1.19.1-7|(none)
checkpolicy-1.17.5-1|(none)
libtermcap-2.0.8-39|(none)
audit-1.0.3-6.EL4|(none)
ncurses-5.4-13|(none)
perl-5.8.5-16.RHEL4|3
rpmdb-CentOS-4.2-0.20051011|2
usbutils-0.11-6.1|(none)
info-4.7-5|(none)
findutils-4.1.20-7|1
ash-0.3.8-20|(none)
module-init-tools-3.1-0.pre5.3|(none)

```

python-2.3.4-14.1|(none)  
sed-4.1.2-4|(none)  
MAKEDEV-3.15-2|(none)  
cracklib-2.7-29|(none)  
policycoreutils-1.18.1-4.7|(none)  
util-linux-2.12a-16.EL4.11|(none)  
cyrus-sasl-md5-2.1.19-5.EL4|(none)  
passwd-0.68-10.1|(none)  
mkinitrd-4.2.1.6-1|(none)  
kbd-1.12-2|(none)  
mailcap-2.1.17-1|(none)  
specspo-9.0.92-1.3|(none)  
dosfstools-2.8-15|(none)  
hesiod-3.0.2-30|(none)  
libgpg-error-1.0-1|(none)  
lrzsz-0.12.20-19|(none)  
bzip2-1.0.2-13.EL4.2|(none)  
lksctp-tools-1.0.2-6.4E.1|(none)  
net-snmp-libs-5.1.2-11.EL4.6|(none)  
patch-2.5.4-20|(none)  
fbset-2.1-17|(none)  
procmail-3.22-14|(none)  
htmlview-3.0.0-8|(none)  
setarch-1.6-1|(none)  
statserial-1.1-35|(none)  
telnet-0.17-31.EL4.3|1  
unzip-5.51-7|(none)  
crash-4.0-2|(none)  
elfutils-0.97-5|(none)  
krb5-workstation-1.3.4-17|(none)  
libxslt-1.1.11-1|(none)  
man-1.5o1-9|(none)  
nano-1.2.4-1|(none)  
cups-libs-1.1.22-0.rc1.9.8|1  
psacct-6.3.2-35.rhel4|(none)  
parted-1.6.19-1.EL|(none)  
python-elementtree-1.2.6-4|(none)  
lockdev-1.0.1-6.1|(none)  
slocate-2.7-13.el4.6|(none)  
syslinux-2.11-1|(none)  
utempter-0.5.5-5|(none)  
xorg-x11-libs-6.8.2-1.EL.13.20|(none)  
pam\_ccreds-1-3|(none)  
apmd-3.0.2-24|1  
dhcpcv6\_client-0.10-8|(none)  
openssh-clients-3.9p1-8.RHEL4.9|(none)  
sendmail-8.13.1-2|(none)  
iptstate-1.3-4|(none)  
nfs-utils-1.0.6-65.EL4|(none)  
quota-3.12-5|1  
up2date-4.4.50-4.centos4|(none)  
which-2.16-4|(none)  
redhat-lsb-3.0-8.EL|(none)  
elinks-0.9.2-3.2|(none)  
mutt-1.4.1-10|5  
libIDL-0.8.4-1|(none)  
gamin-0.1.1-3.EL4|(none)  
alchemist-1.0.34-1|(none)  
shared-mime-info-0.15-10|(none)  
gnome-keyring-0.4.0-1|(none)  
pygtk2-libglade-2.4.0-1|(none)

libgnomeui-2.8.0-1|(none)  
samba-common-3.0.10-1.4E.2|0  
perl-DateManip-5.42a-3|(none)  
perl-libwww-perl-5.79-5|(none)  
perl-XML-Encoding-1.01-26|(none)  
ghostscript-fonts-5.50-13|(none)  
ttmkfdir-3.0.9-14.1.EL|(none)  
Omni-foomatic-0.9.1-7.1|(none)  
chkfontpath-1.10.0-2|(none)  
system-config-printer-0.6.116.4-1|(none)  
xorg-x11-xauth-6.8.2-1.EL.13.20|(none)  
system-config-services-0.8.15-1|(none)  
sox-12.17.5-3|(none)  
system-config-lvm-1.0.5-1.0|(none)  
system-config-language-1.1.8-1|(none)  
system-config-soundcard-1.2.10-2.EL4|(none)  
nmap-3.70-1|2  
zsh-4.2.0-3.EL.3|(none)  
arptables\_jf-0.0.8-2|0  
compat-db-4.1.25-9|(none)  
glibc-kernheaders-2.4-9.1.98.EL|(none)  
snort-2.6.0-1|1  
graphviz-2.13.20061211.0540-1.el3|(none)  
pvs-3.0.1-1|(none)  
hwdata-0.146.12.EL-1|(none)  
libgcc-3.4.4-2|(none)  
rootfiles-8-1|(none)  
filesystem-2.3.0-1|(none)  
termcap-5.4-3|1  
glibc-common-2.3.4-2.13|(none)  
audit-libs-1.0.3-6.EL4|(none)  
bzip2-libs-1.0.2-13.EL4.2|(none)  
e2fsprogs-1.35-12.2.EL4|(none)  
ethtool-1.8-4|(none)  
gdbm-1.8.0-24|(none)  
hdparm-5.7-2|(none)  
libattr-2.4.16-3|(none)  
libcap-1.10-20|(none)  
device-mapper-1.01.04-1.0.RHEL4|(none)  
libsepol-1.1.1-2|(none)  
libstdc++-3.4.4-2|(none)  
gmp-4.1.4-3|(none)  
mingetty-1.07-3|(none)  
bash-3.0-19.2|(none)  
centos-release-4-2.1|6  
keyutils-0.3-1|(none)  
less-382-4|(none)  
pcre-4.5-3.2.RHEL4|(none)  
perl-Filter-1.30-6|(none)  
psmisc-21.4-4|(none)  
setserial-2.17-17|(none)  
newt-0.51.6-5|(none)  
vim-minimal-6.3.046-0.40E.7|1  
file-4.10-2|(none)  
cpio-2.5-8.RHEL4|(none)  
ed-0.2-36|(none)  
gawk-3.1.3-10.1|(none)  
coreutils-5.2.1-31.2|(none)  
grub-0.95-3.5|(none)  
krb5-libs-1.3.4-17|(none)  
openssl-0.9.7a-43.2|(none)

readline-4.3-13|(none)  
pyxf86config-0.3.19-1|(none)  
rpm-libs-4.3.3-11\_nonptl|(none)  
shadow-utils-4.0.3-53.RHEL4|2  
dbus-glib-0.22-12.EL5|(none)  
rpm-4.3.3-11\_nonptl|(none)  
tar-1.14-8.RHEL4|(none)  
cracklib-dicts-2.7-29|(none)  
authconfig-4.6.10-rhel4.1|(none)  
selinux-policy-targeted-1.17.30-2.110|(none)  
SysVinit-2.85-34.3|(none)  
hotplug-2004\_04\_01-7.6|3  
cyrus-sasl-2.1.19-5.EL4|(none)  
lvm2-2.01.14-2.0.RHEL4|(none)  
libuser-0.52.5-1|(none)  
udev-039-10.10.EL4|(none)  
kudzu-1.1.95.15-1|(none)  
kernel-2.6.9-22.EL|(none)  
usermode-1.74-1|(none)  
system-config-mouse-1.2.9-1|(none)  
cryptsetup-0.1-4|(none)  
man-pages-1.67-7.EL4|(none)  
dump-0.4b39-3.EL4.2|(none)  
bluez-libs-2.10-2|(none)  
dos2unix-3.1-21|(none)  
eject-2.0.13-11|(none)  
glib-1.2.10-15|1  
lha-1.14i-17|(none)  
acl-2.2.23-5|(none)  
libgcrypt-1.2.0-3|(none)  
libusb-0.1.8-3|(none)  
lsof-4.72-1.1|(none)  
bluez-bluefw-1.0-6|(none)  
crontabs-1.10-7|(none)  
diskdumputils-1.1.9-4|(none)  
mt-st-0.8-1|(none)  
mtr-0.54-10|2  
OpenIPMI-libs-1.4.14-1.4E.7|(none)  
pam\_smb-1.1.7-5|(none)  
pax-3.0-9|(none)  
aspell-en-0.51-11|50  
numactl-0.6.4-1.13|(none)  
logrotate-3.7.1-5.RHEL4|(none)  
rdate-1.4-2|(none)  
redhat-menus-3.7.1-2|(none)  
rsh-0.17-25.3|(none)  
schedutils-1.4.0-2|(none)  
netconfig-0.8.21-1.1|(none)  
setuptool-1.17-2|(none)  
symlinks-1.2-22|(none)  
tcp\_wrappers-7.6-37.2|(none)  
tmpwatch-2.9.1-1|(none)  
unix2dos-2.2-24.1|(none)  
wireless-tools-27-0.pre25.4.EL4|1  
zip-2.3-27|(none)  
freetype-2.1.9-1|(none)  
binutils-2.15.92.0.2-15|(none)  
gpm-1.20.1-66|(none)  
jwhois-3.2.2-6.EL4.1|(none)  
libpng-1.2.7-1|2  
libxml2-2.6.16-6|(none)


logwatch-5.2.2-1.EL4.1|(none)  
make-3.80-5|1  
mgetty-1.1.31-2|(none)  
mtools-3.9.9-9|(none)  
nss\_db-2.2-29|(none)  
bind-utils-9.2.4-2|20  
OpenIPMI-1.4.14-1.4E.7|(none)  
pinfo-0.6.8-7|(none)  
bc-1.06-17.1|(none)  
lftp-3.0.6-3|(none)  
gettext-0.14.1-13|(none)  
pyOpenSSL-0.6-1.p23|(none)  
python-urlgrabber-2.9.6-2|(none)  
jpackage-utils-1.6.0-2jpp\_3rh|0  
minicom-2.00.0-19|(none)  
rpm-python-4.3.3-11\_nonptl|(none)  
sqlite-3.2.2-1|(none)  
stunnel-4.05-3|(none)  
sysreport-1.3.15-5|(none)  
time-1.7-25|(none)  
wget-1.10.1-2.4E.1|(none)  
xmlsec1-openssl-1.2.6-3|(none)  
xorg-x11-Mesa-libGL-6.8.2-1.EL.13.20|(none)  
libwvstreams-3.75.0-2|(none)  
pam\_krb5-2.1.8-1|(none)  
acpid-1.0.3-2|(none)  
bluez-utils-2.10-2.1|(none)  
dhclient-3.0.1-12\_EL.centos4|7  
ipsec-tools-0.3.3-6|(none)  
autofs-4.1.3-155|1  
gnupg-1.2.6-1|(none)  
openssh-3.9p1-8.RHEL4.9|(none)  
netdump-0.7.7-3|(none)  
portmap-4.0-63|(none)  
mdadm-1.6.0-2|(none)  
iptables-1.2.11-3.1.RHEL4|(none)  
libpcap-0.8.3-10.RHEL4|14  
NetworkManager-0.3.1-3|(none)  
pciutils-2.1.99.test8-3.1|(none)  
ppp-2.4.2-6.4.RHEL4|(none)  
rp-pppoe-3.5-22|(none)  
tcpdump-3.8.2-10.RHEL4|14  
system-config-network-tui-1.3.22-1|(none)  
vixie-cron-4.1-36.EL4|4  
wvdial-1.54.0-3|(none)  
cups-1.1.22-0.rc1.9.8|1  
ypbind-1.17.2-3|3  
yum-2.4.0-1.centos4|(none)  
neon-0.24.7-4|(none)  
fetchmail-6.2.5-6.el4.2|(none)  
gnome-mime-data-2.4.1-5|(none)  
libart\_lgpl-2.3.16-3|(none)  
alsa-lib-1.0.6-5.RHEL4|(none)  
esound-0.2.35-2|1  
perl-URI-1.30-4|(none)  
libbonobo-2.8.0-2|(none)  
pyorbit-2.0.1-1|(none)  
4Suite-1.0-3|(none)  
pango-1.6.0-9|(none)  
GConf2-2.8.1-1|(none)  
libglade2-2.4.0-5|(none)

pygtk2-2.4.0-1|(none)  
gnome-vfs2-2.8.2-8.2|(none)  
libbonoboui-2.8.0.99cvs20040929-2|(none)  
gnome-python2-2.6.0-3|(none)  
gnome-python2-canvas-2.6.0-3|(none)  
samba-client-3.0.10-1.4E.2|0  
enscript-1.6.1-28.3|(none)  
perl-HTML-Tagset-3.03-30|(none)  
perl-Parse-Yapp-1.05-32|(none)  
perl-XML-Parser-2.34-5|(none)  
perl-XML-Dumper-0.71-2|(none)  
perl-libxml-errno-1.02-31|(none)  
psutils-1.17-23|(none)  
Omni-0.9.1-7.1|(none)  
ttfprint-0.9-13|(none)  
VFlib2-2.25.6-25|(none)  
foomatic-3.0.2-3|(none)  
lm\_sensors-2.8.7-2|(none)  
xorg-x11-xfs-6.8.2-1.EL.13.20|(none)  
urw-fonts-2.2-6.1|(none)  
hpijs-1.6-2|(none)  
hal-cups-utils-0.5.2-8|(none)  
libwnck-2.8.1-1.rhel4.1|(none)  
system-config-nfs-1.2.8-1|(none)  
usermode-gtk-1.74-1|(none)  
libogg-1.1.2-1|2  
alsa-utils-1.0.6-4|(none)  
comps-extras-10.1-1|(none)  
ntp-4.2.0.a.20040617-4|(none)  
authconfig-gtk-4.6.10-rhel4.1|(none)  
system-config-keyboard-1.2.5-1|(none)  
system-config-network-1.3.22-1|(none)  
system-config-rootpassword-1.1.6-1|(none)  
system-config-users-1.2.27-0.EL4.1|(none)  
open-1.4-21|(none)  
OpenIPMI-tools-1.4.14-1.4E.7|(none)  
bluez-pin-0.23-3|(none)  
ckernit-8.0.209-9|(none)  
openldap-clients-2.2.13-3|(none)  
ethereal-0.10.12-1.EL4.1|(none)  
thunder-2.0.2-es3|(none)  
compat-libcom\_err-1.0-5|(none)  
libtool-libs-1.5.6-4.EL4.1.c4.3|(none)  
kernel-devel-2.6.9-34.EL|(none)  
glibc-common-2.3.4-2.19|(none)  
kernel-2.6.9-34.EL|(none)  
Nessus-3.0.4-es4|(none)  
graphviz-gd-2.13.20061211.0540-1.el3|(none)  
indexhtml-4-2.centos4|3  
setup-2.5.37-1.3|(none)  
tzdata-2005m-1.EL4|(none)  
beecrypt-3.1.0-6|(none)  
elfutils-libelf-0.97-5|(none)  
glib2-2.4.7-1|(none)  
libacl-2.2.23-5|(none)  
dmraid-1.0.0.rc8-1\_RHEL4\_U2|(none)  
db4-4.2.52-7.1|(none)  
mktemp-1.5-20|2  
iproute-2.6.9-3|(none)  
net-tools-1.60-37.EL4.6|(none)  
popt-1.9.1-11\_nonptl|(none)


slang-1.4.9-8|(none)  
zlib-1.2.1.2-1.2|(none)  
diffutils-2.8.1-12|(none)  
grep-2.5.1-31|(none)  
gzip-1.3.3-15.rhel4|(none)  
procps-3.2.3-8.2|(none)  
rhpl-0.148.3-1|(none)  
dbus-0.22-12.EL.5|(none)  
sysklogd-1.4.1-26\_EL|(none)  
pam-0.77-66.11|(none)  
setools-1.5.1-5|(none)  
initscripts-7.93.20.EL-1.centos4|(none)  
openldap-2.2.13-3|(none)  
hal-0.4.2-1.EL4|(none)  
prelink-0.3.3-0.EL4|(none)  
centos-yumconf-4-4.3|(none)  
rmt-0.4b39-3.EL4.2|(none)  
bluez-hcidump-1.11-1|(none)  
finger-0.17-26|(none)  
attr-2.4.16-3|(none)  
libjpeg-6b-33|(none)  
mailx-8.1.1-33|(none)  
anacron-2.3-32|(none)  
nc-1.10-22|(none)  
pam\_passwdqc-0.7.5-2|(none)  
aspell-0.50.5-3.fc3|12  
desktop-file-utils-0.9-2|(none)  
rdist-6.1.5-38.40.1|1  
rsync-2.6.3-1|(none)  
ntsysv-1.3.13.2-1|(none)  
talk-0.17-26|(none)  
traceroute-1.4a12-24|(none)  
words-3.0-3|(none)  
fontconfig-2.2.3-7|(none)  
groff-1.18.1.1-3|(none)  
libtiff-3.6.1-8|(none)  
m4-1.4.1-16|(none)  
irda-utils-0.9.16-3|(none)  
bind-libs-9.2.4-2|20  
pdksh-5.2.14-30.3|(none)  
ftp-0.17-22|(none)  
libxml2-python-2.6.16-6|(none)  
rhnlib-1.8.1-1.p23.1|(none)  
nscd-2.3.4-2.13|(none)  
python-sqlite-1.1.6-1|(none)  
tcsh-6.13-9|(none)  
xmlsec1-1.2.6-3|(none)  
at-3.1.8-78\_EL4|(none)  
sudo-1.6.7p5-30.1.3|(none)  
cyrus-sasl-plain-2.1.19-5.EL4|(none)  
isdn4k-utils-3.2-18.p1.1|(none)  
nss\_ldap-226-6|(none)  
openssh-server-3.9p1-8.RHEL4.9|(none)  
kernel-utils-2.4-13.1.69|1  
mkbootdisk-1.5.2-1|(none)  
pcmcia-cs-3.2.7-3.2|(none)  
system-config-securitylevel-tui-1.4.19.2-1|(none)  
vconfig-1.8-4|(none)  
xinetd-2.3.13-4.4E.1|2  
yp-tools-2.8-7|(none)  
cadaver-0.22.1-3|(none)

atk-1.8.0-2|(none)  
audiofile-0.2.6-1|1  
ORBit2-2.12.0-3|(none)  
PyXML-0.8.3-6|(none)  
gtk2-2.4.13-16|(none)  
libgnomecanvas-2.8.0-1|(none)  
libgnome-2.8.0-2|(none)  
gnome-python2-bonobo-2.6.0-3|(none)  
mpage-2.5.4-2|(none)  
perl-HTML-Parser-3.35-6|(none)  
perl-libxml-perl-0.07-30|(none)  
pnm2ppa-1.04-11|1  
a2ps-4.13b-41|(none)  
xorg-x11-font-utils-6.8.2-1.EL.13.20|(none)  
net-snmp-5.1.2-11.EL4.6|(none)  
ghostscript-7.07-33|(none)  
startup-notification-0.7-1|(none)  
system-config-securitylevel-1.4.19.2-1|(none)  
libvorbis-1.1.0-1|1  
dbus-python-0.22-12.EL.5|(none)  
system-config-date-1.7.15-0.RHEL4.1|(none)  
system-config-packages-1.2.23-1|(none)  
system-logviewer-0.9.12-0.2|(none)  
xdelta-1.1.3-15|(none)  
screen-4.0.2-5|(none)  
comps-4.2CENTOS-0.20051011|2  
compat-libstdc++-33-3.2.3-47.3|(none)  
libcap-devel-1.10-20|(none)  
SecurityCenter-3.2-es3|(none)


Plugin ID : [22869](#)

 "Check if var HOME\_NET entry in /etc/snort/snort.conf is correct. " :  
[PASSED]


Plugin ID : [21157](#)

 "Check if var EXTERNAL\_NET entry in /etc/snort/snort.conf is correct. " :  
[PASSED]


Plugin ID : [21157](#)

 "Check if var DNS\_SERVERS entry in /etc/snort/snort.conf is correct. " :  
[PASSED]


Plugin ID : [21157](#)

 "Check if var SMTP\_SERVERS entry in /etc/snort/snort.conf is correct. " :  
[PASSED]


Plugin ID : [21157](#)

 "Check if var HTTP\_SERVERS entry in /etc/snort/snort.conf is correct. " :  
[PASSED]


Plugin ID : [21157](#)

 "Check if var SQL\_SERVERS entry in /etc/snort/snort.conf is correct. " :  
[PASSED]


Plugin ID : [21157](#)

 "Check if var TELNET\_SERVERS entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if var SNMP\_SERVERS entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if var HTTP\_PORTS entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if var SHELLCODE\_PORTS entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if var ORACLE\_PORTS entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if var AIM\_SERVERS entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if var RULE\_PATH entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor flow: stats\_interval 0 hash 2 entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor frag3\_global: max\_frags 65536 entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor frag3\_engine: policy first detect\_anomalies entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor stream4: disable\_evasion\_alerts entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor stream4\_reassemble entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor http\_inspect: global \ entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor http\_inspect\_server: server default \ entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor rpc\_decode: 111 32771 entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor ftp\_telnet: global \ entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor ftp\_telnet\_protocol: telnet \ entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor ftp\_telnet\_protocol: ftp server default \ entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor ftp\_telnet\_protocol: ftp client default \ entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor smtp: \ entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if preprocessor sfportscan: proto { all } \ entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)

 "Check if include classification.config entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)


 "Check if include reference.config entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)


 "Check if include \$RULE\_PATH/local.rules entry in /etc/snort/snort.conf is

correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/bad-traffic.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/exploit.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/scan.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/finger.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/ftp.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/telnet.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/rpc.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/rservices.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 "Check if include \$RULE\_PATH/dos.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]









Plugin ID : [21157](#)













 "Check if include \$RULE\_PATH/ddos.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)


 "Check if include \$RULE\_PATH/dns.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]

Plugin ID : [21157](#)

-  "Check if include \$RULE\_PATH/tftp.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/web-cgi.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/web-coldfusion.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/web-iis.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/web-frontpage.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/web-misc.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/web-client.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/web-php.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/sql.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/x11.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/icmp.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/netbios.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)

-  "Check if include \$RULE\_PATH/misc.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/attack-responses.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/oracle.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/mysql.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/snmp.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/smtp.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/pop2.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/pop3.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/nnntp.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/other-ids.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/virus.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]  
Plugin ID : [21157](#)
-  "Check if include \$RULE\_PATH/experimental.rules entry in /etc/snort/snort.conf is correct. " : [PASSED]


Plugin ID : [21157](#)

 Information about this scan :

Nessus version : 3.0.5  
Plugin feed version : 200702131215  
Type of plugin feed : Direct  
Scanner IP : 192.168.11.4  
Port range : default  
Thorough tests : no  
Experimental tests : no  
Paranoia level : 1  
Report Verbosity : 1  
Safe checks : yes  
Max hosts : 20  
Max checks : 4  
Scan duration : unknown (ping\_host.nasl not launched?)


Plugin ID : [19506](#)

**ssh (22/tcp)**

 Remote SSH version : SSH-1.99-OpenSSH\_3.9p1

Remote SSH supported authentication : publickey,gssapi-with-mic,password

Plugin ID : [10267](#)

 The remote SSH daemon supports the following versions of the SSH protocol :

. 1.33  
. 1.5  
. 1.99  
. 2.0

SSHv1 host key fingerprint :  
a0:5b:c2:47:fa:e0:67:c4:33:bd:26:18:82:82:d2:20  
SSHv2 host key fingerprint :  
dd:86:14:a8:e2:32:d6:4c:7c:53:5a:c4:c4:1c:42:9b

Plugin ID : [10881](#)

 **Synopsis :**

The remote service offers an insecure cryptographic protocol


**Description :**

The remote SSH daemon supports connections made using the version 1.33 and/or 1.5 of the SSH protocol.

These protocols are not completely cryptographically safe so they should not be used.

**Solution:**

Disable compatibility with version 1 of the protocol.

	<p><b>Risk Factor :</b></p> <p>Low / CVSS Base Score : 3 (AV:R/AC:H/Au:NR/C:P/A:N/I:N/B:C) CVE : CVE-2001-0361 BID : 2344 Plugin ID : <a href="#">10882</a></p>
<b>http (80/tcp)</b>	<p> The remote web server type is :</p> <p>Apache/2.0.55 (Unix) mod_ssl/2.0.55 OpenSSL/0.9.8d PHP/5.2.0</p> <p><b>Solution:</b> You can set the directive 'ServerTokens Prod' to limit the information emanating from the server in its response headers. Plugin ID : <a href="#">10107</a></p>